



SAFETY DATA SHEET

WSP - COPIES OF THIS DOCUMENT ARE FOR REFERENCE ONLY.

SDS DATE: 12/2/2014
PAGES: 2
PRODUCT NAME CELLULOSE ABSORBENT MATERIAL

SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: CELLULOSE ABSORBENT MATERIAL for booms
CHEMICAL FAMILY: OLEFIN, HYDROCARBON
PRODUCT USE: SORBENT MEDIA
PRODUCT TYPE: HYDROPHOBIC, HYDROPHILIC, STATIC RESISTANT
CHEMICAL NAME: WOOD PULP/CELLULOSE

COMPANY INFORMATION: WORLDWIDE SORBENT PRODUCTS
205 LAKESHORE DRIVE
PORT ARTHUR, TEXAS 77640
PHONE: 409-983-7800
FAX: 409-985-2566
EMER: 409-983-7800

SECTION 2: HAZARDS IDENTIFICATION

THIS PRODUCT IS NOT DANGEROUS IN ITS UNUSED FORM AND CONTAINS NO HAZARDOUS INGREDIENTS.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>MATERIALS</u>	<u>PERCENT</u>	<u>CAS #</u>
POLPROPYLENE:	< OR = 100%	9003-07-0
WOOD PULP/ CELLULOSE	< OR = 100%	9004-34-6
PEROXIDE:	< OR = 1%	
SURFACTANT:	< OR = 1%	
ANTISATAT:	< OR = 3%	
CARBON BLACK:	< OR = 3%	1333-86-4
GREEN:	< OR = 3%	1328-53-6
BLUE	< OR = 3%	

OCCUPATIONAL EXPOSURE LIMITS: NONE ESTABLISHED BY OSHA OR ACGIH
NOT A HAZARDOUS MATERIAL UNDER WHMIS

SECTION 4: FIRST AID MEASURES

NO SPECIAL PROCEDURES REQUIRED

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: >315 DEGREES CELCIUS (ASTM D93)
FLAMMABLE LIMITS: NOT YET DETERMINED

EXTINGUISHING MEDIA:	WATER, FOAM, CO2, DRY CHEMICAL
SPECIAL FIRE FIGHTING PROCEDURES:	STANDARD PROCEDURE FOR CLASS A FIRES
UNUSUAL FIRE AND EXPLOSION HAZARD:	SOME CARBON MONOXIDE UNDER LEAN OXYGEN CONDITIONS

SECTION 6: ACCIDENTAL RELEASE MEASURES

NO SPECIAL STEPS ARE TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED

SECTION 7: HANDLING AND STORAGE

STORE IN DRY AREA. DO NOT STORE NEAR OPEN FLAME, HIGH HEAT OR STRONG OXIDANTS. POLYPROPYLENE, WHEN HEATED, BECOMES VERY STICKY AND WILL BURN. USE SELF-CONTAINED AIR MASK TO ENTER SMOKY AREA IN THE EVENT OF FIRE.

SECTION 8: EXPOSUR CONTROLS/PERSONAL PROTECTIVE EQUIPMENT

EXPOSURE LIMITS: OSHA PEL: N/A

ACGIH TLV: N/A

RESPIRATORY PROTECTION:	NONE REQUIRED	
VENTILATION:	NONE REQUIRED	
PROTECTIVE GLOVES:	NONE REQUIRED	ONLY IF MOLTAN
EYE PROTECTION:	NONE REQUIRED	
OTHER PROTECTIVE EQUIPMENT (SPECIFY):	NONE REQUIRED	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

COLOR:	WHITE -	HYDROPHOBIC OIL ONLY
	BLUE -	HYDROPHOBIC OIL ONLY
	GRAY -	HYDROPHILIC UNIVERSAL
	GREEN -	HYDROPHILIC UNIVERSAL
	WHITE -	STATIC RESISTANT, LABELED
DENSITY:	0.04 - 0.06 gram/cc	
ODOR:	MAY BE MILD HYDROCARBON	
SPECIFIC GRAVITY:	0.88 - 0.92	
BOILING POINT:	NOT APPLICABLE	
MELTING POINT:	> 160 DEGREES CELSIUS	
SOLUBILITY IN WATER:	INSOLUABLE	
PERCENT VOLATILE:	NOT APPLICABLE	
EVAPORATION RATE:	NOT APPLICABLE	
VAPOR PRESSURE (mm Hg):	NOT APPLICABLE	
VAPOR DENSITY (Air = 1):	NOT APPLICABLE	

SECTION 10: STABILITY AND REACTIVITY DATA

STABILITY:	STABLE
INCOMPATIBILITY (conditions to avoid):	NONE
INCOMPATIBILITY (materials to avoid):	NITRIC ACID, PERCHLORIC ACID, SULFURIC ACID OR 98% SULFURIC ACID

AT 60 DEGREES CELCIUS OR ABOVE

HAZARDOUS POLYMERAZATION:

WILL NOT OCCURE

SECTION 11: TOXOCOLOGICAL INFORMATION

HEALTH HAZARDS (acute or cronic): NONE

SIGNS OR SYSMPTOMS OF EXPOSURE: NONE

MEDICAL CONDITIONS GENERRALLY AGGRAVATED BY EXPOSURE: NONE

DATE ISSUED: December 2, 2014

PREPARED BY: WORLDWIDE SORBENT PRODUCTS

SECTION 12 TO SECTION 15 NOT APPLICABLE

SECTION 16: OTHER INFORMATION

SDS PREPARATION DATE: DECEMBER 2, 2014

THE INFORMATION CONTAINED HEREIN IS ACCCURATE TO THE BEST OF OUR KNOWLEDGE. OUR COMPANY MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE SAFE USE OF THIS MATERIAL IN YOUR PROCESS OR IN COMBINATION WITH OTHER SUBSTANCES